
Integration requests
<compute>
sequence
<request-preamble>
alternatives
'compute'
sequence
'what'
'is'
['the']
<integrate>
alternatives
sequence
alternatives
['symbolically']
['numerically']
'integrate'
sequence
'integrate'
alternatives
'numerically'
'symbolically'
<function>
'_String'
<range>
sequence
sequence
alternatives
['in']
['over']
['the']
['interval']
alternatives
<range-interval>
sequence
['from']
'_WordString'
alternatives
['to']
['and']
'_WordString'
<range-named>
alternatives
'R'
'R+'
'R-'
<var-range-spec>
sequence
alternatives
'for'
'of'
<var>
'_IdentifierString'
<range>
<integral-request>
sequence
<compute>
sequence
<request-preamble>
['the']
<integral-type>
sequence
alternatives
['numerical']
['symbolic']
'integral'
'of'
<plot>
sequence
'plot'
['it']
<command1>
sequence
alternatives
<integral-request>
sequence
<integrate>
sequence
['and']
[<plot>]
<function>
alternatives
<var-range-spec>
sequence
alternatives
'for'
'of'
<var>
<range>
<range>
sequence
['and']
[<plot>]
<command>
alternatives
<command1>
sequence
alternatives
<integral-request>
sequence
<integrate>
sequence
['and']
[<plot>]
<function>
alternatives
<var-range-spec>
<range>
sequence
['and']
[<plot>]
<command2>
sequence
alternatives
<integral-request>
<integrate>
<function>